

Science News

from research organizations

COVID-19 may deplete testosterone, helping to explain male patients' poorer prognosis

Over half of male patients studied were found to have lower than their normal testosterone levels

Date: September 28, 2020

Source: Taylor & Francis Group

Summary: A study of patients hospitalized due to COVID-19 suggests that the disease might deteriorate men's testosterone levels. The study found that as men's testosterone level at baseline decreases, the probability for them to be in the intensive care unit (ICU) significantly increases.

Share: [!\[\]\(d3102649f02e825ddb76dc3de0190154_img.jpg\)](#) [!\[\]\(55ca3a38dbb940110628e54e3ea7505d_img.jpg\)](#) [!\[\]\(1ad7b9dfa1e10e48660df5dd18a1b20c_img.jpg\)](#) [!\[\]\(7b7f78f3b14c2b344e3d1b2a79a760c9_img.jpg\)](#) [!\[\]\(ea85bb5cc605bcd0e585ecc5f09976f5_img.jpg\)](#)

FULL STORY

For the first time, data from a study with patients hospitalized due to COVID-19 suggest that the disease might deteriorate men's testosterone levels.

Publishing their results in the peer-reviewed journal *The Aging Male*, experts from the University of Mersin and the Mersin City Education And Research Hospital in Turkey found as men's testosterone level at baseline decreases, the probability for them to be in the intensive care unit (ICU) significantly increases.

Lead author Selahittin Çayan, Professor of Urology, states that while it has already been reported that low testosterone levels could be a cause for poor prognosis following a positive SARS-CoV-2 test, this is the first study to show that COVID-19 itself depletes testosterone.

It is hoped that the development could help to explain why so many studies have found that male prognosis is worse than those females with COVID-19, and therefore to discover possible improvement in clinical outcomes using testosterone-based treatments.

"Testosterone is associated with the immune system of respiratory organs, and low levels of testosterone might increase the risk of respiratory infections. Low testosterone is also associated with infection-related hospitalisation and all-cause mortality in male in ICU patients, so testosterone treatment may also have benefits beyond improving outcomes for COVID-19," Professor Çayan explains.

"In our study, the mean total testosterone decreased, as the severity of the COVID-19 increased. The mean total testosterone level was significantly lower in the ICU group than in the asymptomatic group. In addition, the mean total testosterone level was significantly lower in the ICU group than in the Intermediate Care Unit group. The mean serum follicle stimulating hormone level was significantly higher in the ICU group than in the asymptomatic group.

"We found, Hypogonadism -- a condition in which the body doesn't produce enough testosterone -in 113 (51.1%) of the male patients.

"The patients who died, had significantly lower mean total testosterone than the patients who were alive.

"However, even 65.2% of the 46 male patients who were asymptomatic had a loss of loss of libido."

The research team looked at a total of 438 patients. This included 232 males, each with laboratory confirmed SARS-CoV-2. All data were prospectively collected. A detailed clinical history, complete physical examination, laboratory and radiological imaging studies were performed in every patient. All data of the patients were checked and reviewed by the two physicians.

The cohort study was divided into three groups: asymptomatic patients (n: 46), symptomatic patients who were hospitalized in the internal medicine unit (IMU) (n: 129), and patients who were hospitalized in the intensive care unit (ICU) (n: 46).

In the patients who had pre-COVID-19 serum gonadal hormones test (n: 24), serum total testosterone level significantly decreased from pre-COVID-19 level of 458 ± 198 ng/dl to 315 ± 120 ng/dl at the time of COVID-19 in the patients ($p = 0.003$).

Death was observed in 11 of the male adult patients (4.97%) and 7 of the female patients (3.55%), revealing no significance between the two genders ($p > 0.05$).

Commenting on the results of the study, Professor Çayan added: "It could be recommended that at the time of COVID-19 diagnosis, testosterone levels are also tested. In men with low levels of sex hormones who test positive for COVID-19, testosterone treatment could improve their prognosis. More research is needed on this."

The limitations of this study include it not including a control group of patients with conditions other than COVID-19, this was due to the restrictions placed on the hospital that they were monitoring the patients in.

The authors state future studies should look at the concentration levels of ACE2 (Angiotensin-converting enzyme 2) -- an enzyme attached to the cell membranes of cells located in the intestines -, in relationship with the total testosterone levels.

Story Source:

Materials provided by **Taylor & Francis Group**. *Note: Content may be edited for style and length.*

Journal Reference:

1. Selahittin Çayan, Mustafa Uğuz, Barış Saylam, Erdem Akbay. **Effect of serum total testosterone and its relationship with other laboratory parameters on the prognosis of coronavirus disease 2019 (COVID-19) in SARS-CoV-2 infected male patients: a cohort study**. *The Aging Male*, 2020; 1 DOI: 10.1080/13685538.2020.1807930

Cite This Page:

MLA	APA	Chicago
-----	-----	---------

Taylor & Francis Group. "COVID-19 may deplete testosterone, helping to explain male patients' poorer prognosis: Over half of male patients studied were found to have lower than their normal testosterone levels." ScienceDaily. ScienceDaily, 28 September 2020. <www.sciencedaily.com/releases/2020/09/200928125024.htm>.

RELATED STORIES

Further Evidence Does Not Support Hydroxychloroquine for Patients With COVID-19

May 15, 2020 — The anti-inflammatory drug hydroxychloroquine does not significantly reduce admission to intensive care or death in patients hospitalized with pneumonia due to COVID-19, finds a study from France. ...

Testosterone Therapy Provides Protection Against Cardiovascular Disease in Men With Low Testosterone

Feb. 13, 2017 — Despite the continued controversy surrounding the use of testosterone in men who have testosterone deficiency (hypogonadism), a new study has found that long-term use of testosterone therapy not only ...

Difficult to Predict Low Testosterone in Older Men Using Data on Younger Men

June 20, 2016 — A new study highlights the difficulty in defining and managing age-related testosterone decline in older men. To understand the accuracy of using signs and symptoms to predict low testosterone in ...

Testosterone Therapy Does Not Raise Risk of Aggressive Prostate Cancer

May 7, 2016 — Men with low levels of the male sex hormone testosterone need not fear that testosterone replacement therapy will increase their risk of prostate cancer, suggests a new ...

FROM AROUND THE WEB

ScienceDaily shares links with sites in the TrendMD network and earns revenue from third-party advertisers, where indicated.

One-third of children with COVID-19 are asymptomatic

Healio

Small Chinese study examines characteristics of asymptomatic infection with SARS-CoV-2

Healio

Men more likely to test positive for COVID-19, have worse outcomes

Healio

COVID-19 confers similar risk for severe disease in patients with, without HIV

Healio

Early outcomes of patients undergoing total hip arthroplasty for trauma during COVID-19

Adam C S Stoneham et al., Bone & Joint Research, 2020

Paullinia cupana for control of hot flashes in breast cancer patients: a pilot study

Oliveira, Saulo Silva et al., Einstein (São Paulo), 2013

Clinical and echocardiographic characteristics associated with the evolution of the ductus arteriosus in the neonate with birth weight lower than 1,500g

Visconti, Luiza Fortunato et al., Einstein (São Paulo), 2013

Sitagliptin linked to lower mortality rate in adults with type 2 diabetes, COVID-19

Healio

I consent to the use of Google Analytics and related cookies across the TrendMD network (widget, website, blog). [Learn more](#)

[Yes](#)[No](#)

Free Subscriptions

Get the latest science news with ScienceDaily's free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

✉ Email Newsletters

📡 RSS Feeds

Follow Us

Keep up to date with the latest news from ScienceDaily via social networks:

f Facebook

🐦 Twitter

in LinkedIn

Have Feedback?

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

💬 Leave Feedback

📞 Contact Us

[About This Site](#) | [Staff](#) | [Reviews](#) | [Contribute](#) | [Advertise](#) | [Privacy Policy](#) | [Editorial Policy](#) | [Terms of Use](#)

Copyright 2021 ScienceDaily or by other parties, where indicated. All rights controlled by their respective owners. Content on this website is for information only. It is not intended to provide medical or other professional advice. Views expressed here do not necessarily reflect those of ScienceDaily, its staff, its contributors, or its partners.

Financial support for ScienceDaily comes from advertisements and referral programs, where indicated.

— GDPR: Privacy Settings —